

Thank You Australia!

Pro

BORUM IDUSTRIAL WORKSHOP EQUIPMENT

TRADEQUIP the trusted brand in equipment

TQ

TRANSMISSION LIFTERS

For full product specifications go to www.tqbbrands.com.au



TRANSMISSION LIFTER PASSENGER VEHICLES

2052 TRADEQUIP

Safe working capacity: RWD/FWD/AWD GVM <2,500KG Rated capacity: 500kg Working height: 855-1760mm Cradle size: 276 x 360mm 2 Stage lift 4 way tilting working head Tilt: Fwd 15° Rwd 7° Lat 7° Base: 690 x 780mm

> 4 way tilt action

Wide wheel stability

TQ

Weight: 61kg

Safety chains

included

FEATURES High-grade steel for quality and durability. Lead-free paint prevents rust and is oil, grease and dirt-resistant for easy cleanup. Universal mounting cradle provides wide fore & aft tilt. High quality large diam. hydraulic steel cylinder unit. Piston-ram treated & polished to extend service life.

đ.

MADE FOR THE

TRADE

Excludes GST

Inc. GST \$1039.50

TRADEQUIP

VARNING

the trusted brand in eq

Suitable for PASSENGER

VEHICLES

<u>ا</u>]}

4 way tilting

action head

1760mm

Maximum height:

Footoperated quicklift

pump

TRANSMISSION LIFTER SUV / 4X4 & LIGHT COMMERCIAL 4 way tilt 2063T action

Safe working capacity: RWD/FWD/AWD/4X4 GVM <3,200KG Rated capacity: 1,000kg Working height: 940-1920mm Lift platform size: 280 x 280mm Tilt: Fwd 15° Tilt Rwd 10° FEATURES Tilt: Side 9° Tilt Side 11° Weight: 82kg

Wide wheel stability

ATEST APPLIED

DRO

Suitable fo

High-grade steel for quality and durability. Lead-free paint prevents rust & is oil, grease and dirt-resistant for easy cleanup. Universal mounting cradle

gives wide fore & aft tilt. High quality large diam. hydraulic steel cylinder. Polished & treated Pistonram extends service life

Inc. GST \$1384.90

_

Excludes GS

INTENDED USE: Removal & Installation of Transmissions NOT INTENDED FOR: Supporting Loads i.e. Fuel Tanks, Suspension Work, BullBar Installations

INDUSTRIAL WOR

NADE FOR THE

凡習論語

Footoperated auicklift pump

52

height: 1920mm

ximum

Maximum height: 1875mm

Safe working capacity: RWD/FWD/AWD GVM <2,500KG

Ram travel 2nd stage: 510mm Tilt: Fwd 9° Rwd28° Left 9° Right28°

Rated capacity: 500kg Working height: 940-1940mm Ram travel 1st stage: 490mm

PRO

Base: 610 x 740mm

Weight: 65kg

Foot

operated

quicklift pump

VEHICLES

PROTL500

TRANSMISSION LIFTER PASSENGER

Professional Reputable

Piston-ram is treated and polished to minimise wear

and extend service life. Premium quality (doubled) O rings with anti-dust ring.

Rapid lift without load.

Slow descent with load

Overload safety valve. Aviation grade hydraulic

Outstanding

FEATURES

AUXILIARY SUPPORT/LIFTING



Safe working capacity: RWD/FWD/AWD/4X4 GVM <3,500KG Tilt: Fwd 70° Rwd 15° Rated capacity: 1,000kg Working height: 205-725mm Cradle size: 340 x 200mm

79 TRADEQUIP

TRANSMISSION LIFTER

COMMERCIAL VEHICLES

BHDTJ2 J= BORUM Safe working capacity: 2,000kg

Working height: 210-900mm

Cradle size: min. 385-470mm

Cradle size: max. 570-470mm

Adjustable tilt cradle Cradle forward tilt: 30°

Weight: 130kg

INDUSTRIAL

GUALITY

Excludes GS

Cradle backward tilt: 30°

Swivel castors: 100mm

Chassis: 1160L x 685Wmm



Cradle lateral adjustment: 90mm Chassis: 850L x 490W x 305Hmm Weight: 54kg



Adjustable head (forward & backward). Lateral cradle adjustment. Hydraulic system overload protection. Four (4) swivel castors allow easy movement and positioning of transmission jack. Rugged heavy duty steel wheels with full swivel ball bearing castors. User-friendly 360° rotating pump handle



Transmission Lifte

900mm

maximum lift height

FEATURES

The adjustable cradle can be tilted forward or backward for optimum alignment of transmission bolt patterns and pins. Hydraulic system is protected from overload Safety load-restraint for raising & lowering safety. Rugged steel wheels & full swivel ball bearing

castors. User-friendly 360° rotating pumping handle

handle

3609 rotating



Maximum height: 1940mm

Excludes GST

Inc. GST \$1428.90

自動巡

4 way tilt action

Maximum height: 1940mm

Wide wheel stability

TRANSMISSION LIFTER SUV 4X4 & LIGHT COMMERCIAL 4 way tilt action **PROTL1000**

Professional

Reputable

Outstanding

Safe working capacity: RWD/FWD/AWD/4X4 GVM <3,500KG Rated capacity: 1,000kg Working height: 940-1940mm Ram travel 1st stage: 490mm Ram travel 2nd stage: 510mm Tilt: Fwd 9° Rwd28° Left 9° Right28° Base: 610 x 740mm Weight: 76.5kg

LATEST APPLIED

FN

FEATURES

Piston-ram is treated and polished to minimise wear and extend service life. Premium quality (doubled) O rings with anti-dust ring. Rapid lift without load. Slow descent with load. Overload safety valve Aviation grade hydraulic

IERCIAL

Suitable for

Excludes GST



WARNING

Wide wheel stability





360° rotating handle

Established 1984 – "trusted by Australia's trade for more than 40 years"

INTENDED USE: Removal & Installation of Transmissions NOT INTENDED FOR: Supporting Loads i.e. Fuel Tanks, Suspension Work, BullBar Installations



B

SCISSOR LIFT WORKSHOP TROLLEY 300KG 6008T Excludes GS1 Safe working capacity: 300kg Working height: 350mm-1285mm Table size: 820L x 520Wmm Inc. GST \$1153.90 DOUBLE SCISSOR MADE FOR THE TRADE FEATURES Hands free foot-operated hydraulic pedal. Heavy duty oil-resistant nonslip mat. Powder coated all steel construction. Perfect for moving parts to vehicles. **XC** Ō ଜନ୍ମାତି SCISSOR LIFT WORKSHOP TROLLEY 500KG 6009T Excludes GST Safe working capacity: 500kg Working height: 265mm-865mm Table size: 820L x 520Wmm Inc. GST \$911.90 MADE FOR THE TRADE FEATURES Hands free foot-operated pedal. Quick release hand lever for easy, controlled release. Heavy duty oil-resistant nonslip mat. Powder coated all steel construction. 500kg Perfect for moving parts to vehicles. 0 Capacity **SCISSOR LIFT WORKSHOP TROLLEY 225KG** TRADEQUIP 6010T Excludes GST Safe working capacity: 225kg Working height: 225mm-710mm Table size: 708L x 450Wmm 225kg Inc. GST \$493.90 Capacity MADE FOR THE TRADE Ó FEATURES Hands free foot-operated pedal. Quick release hand lever for easy, controlled release. Heavy duty oil-resistant nonslip mat. Powder coated all steel construction. Perfect for moving parts to vehicles. TOO NEW TO PHOTOGRAPH. VISIT WWW.TQBBRANDS.COM.AU FOR UPDATED IMAGES AND MORE SPECS.

SCISSOR LIFTERS

SCISSOR LIFT WORKSHOP TROLLEY 500KG

Safe working capacity: 500kg Working height: 440-1575mm Table size: 1010L x 520Wmm Wheel diameter: 150mm Dimensions: 1130L x 520W x 1260Hmm



FEATURES Double Scissor High Lift. Foot-operated hydraulic pedal keeps your hands free. Quick release hand lever for easy, controlled hydraulic release. 2 locking heavy duty swivel castors. All steel construction. Powder coated for extra protection. Perfect for moving heavy parts to and from the vehicle.

CAPACITY SOOKG





SCISSOR LIFT WORKSHOP TROLLEY 450KG

Safe working capacity: 450kg Working height: 280-875mm Table size: 500 x 810mm Wheel Diameter: 125mm Dimensions: 1140L x 515W x 995Hmm FEATURES Hands free foot-operated hydraulic

Parla free for operation of the second secon



JACKS & STANDS

6

6

USTRIAL WO



PRO

TYRE LIFTER/DOLLY



STANDS

USTRIAL WO



RAMPS & JACKS

AIR ACTUATED TRUCK JACK 22.000KG

B2003T JA BORUM

2.000KG

1

MADE FOR THE

Includes

Height

Adaptors

ATEST APPLIED

TOPAS

JRO

Trusted by see

Professional

Reputable

Outstanding

ADE

Inc. GST \$1132.90

Safe working capacity: 22,000kg Lift range: 210-525mm Hydraulic lift: 120mm Adjustable height: 80mm Chassis: 500L x 215H x 320Wmm Adaptors: 19, 55, 100mm Handle length: 1065mm Excludes GST

FEATURES

Solid heavy duty construction. Advanced technology sealing rings. Fast motion super duty air pump. Temperature-resistant hydraulic oil. Treated and polished piston and ram. Built-in bypass hydraulic safety overload system. Compact design easily fits dual tandem

. axles Convenient & efficient height adaptors.

3-position pumping handle. High quality lead-free paint is oil, grease and dirt-resistant finish for easy cleanup.

AIR ACTUATED TRUCK **JACK 22.000KG** 2004T TRADEQUIP

Safe working capacity: 22,000kg Lift range: 210-525mm Hydraulic lift: 120mm Adjustable height: 80mm Chassis: 500L x 215H x 320Wmm Adaptors: 19, 55, 100mm Handle length: 1065mm

Excludes GST 22,000KG Inc. GST \$900.90

FEATURES

Trade quality rugged steel construction. Wear-resistant quality sealing O-rings. Temperature-resistant hydraulic oil. Trongerature-resistant hydraulic oil. Treated and polished piston and Quick lift ram. Built-in bypass hydraulic safety overload system. Compact design easily fits dual tandem axles. Convenient & efficient height adaptors. 3-position pumping handle. High quality lead-free paint is oil, grease and dirt-resistant finish for easy cleanup.

AIR ACTUATED TRUCK **JACK 20.000KG**

PROTRJA20T

Safe working capacity: 20,000kg Working height: 215-541mm Hydraulic Lift: 141mm Adjustable screw: 85mm Adaptors: 20, 50, 100mm Handle length: 1335mm Operating air pressure: 145-175psi Chassis: 520L x 215H x 258Wmm



FEATURES

Double sealing using XTP industry sealing. Telescopic air actuation lift (air-hydraulic pump). Long T-handle lets you easily position your jack under vehicle. Self-returning lowering and lifting switch

Internal and external cylinders hard chromed. High manoeuvrability & deep reach. 3 extension adaptors/saddle plates.



eight

Adaptors

AIR JACK/SUPPORT STAND 10.000KG BSJ10T

Safe working capacity: 10,000kg Maximum height: 1298mm Rated air pressure capacity: 200psi Weight: 91kg

FEATURES

The BORUM Industrial AIR JACK/SUPPORT STAND 10,000KG is a reinforced pin style jack and stand with industrial quality design and support bracing system to sustain heavy loads up to 10,000kg. Adjusts to match the job with a 444mm minimum height, 292mm of hydraulic lift and up to 1298mm maximum height using the extension tube!! Featuring Heavy-Duty Industrial design, this tough air jack/support stand is ideal for truck, bus, farm, earthmoving equipment and fleet vehicle maintenance workshop use.

INDUSTRIAL

GUALITY

TOO NEW TO PHOTOGRAPH, VISIT WWW.TQBBRANDS.COM.AU FOR UPDATED IMAGES AND MORE SPECS.



Suitable

for Buses

Incl

Trucks

Capacit

PORTABLE TRUCK RAMPS BTR20TP

Safe working load: 20,000kg per pair Frame: 1160L x 463W x 242Hmm Max. tyre width: 393mm

SOLD IN PAIRS pair

Excludes GS Inc. GST \$1881.00

FEATURES

Long retractable T-handle for easy positioning. "NON-SKID BASE" - 4 ply pads of rubber grips are bolted and glued to the 6mm steel floor plates and they will not skid ahead of the wheels Replaces need for a pit or hoist, and at a fraction of the cost and floor space.





TRUCK JACKS



AIR ACTUATED JACK 2 STAGE 15.000/30.000KG BTJ1530TA JA BORUM

1st stage: 30,000kg safe working capacity 2nd stage: 15,000kg safe working capacity First stage hydraulic lift: 73mm Second stage hydraulic lift: 66mm Operating air pressure: 145-175psi Height: 150-409mm Adaptors: 45 and 75mm Handle length: 1300mm Chassis: 480 x 290 x 150mm





Double sealing function using XTP industry sealing. Telescopic air actuation lift (air-hydraulic pump). Long T-handle lets you easily position your jack under vehicle. Self-returning lower & lift switch . Internal and external cylinders hard chromed High manoeuvrability & deep reach under vehicles 2 extension adaptors/saddle plates. Large rubber wheels

30.000KG





CK WHEEL NUT WRENCH ROUE MULTIPLIER

TQ

1" Drive hand winder operated Trans-speed ratio: 1:56 27mm, 32mm, 33mm, 41mm wheel nut sockets Torque output: 4800Nm

> NDIVIDUAL AILABL



10

TRADEQUIP the trusted brand in equipment



B

TEST APPLIED

PRO

TRUCK JACKS

AIR ACTUATED 3 STAGE TRUCK JACK 20.000/40.000/60.000KG BTJ204060TA Take B O R U M

First stage: 60,000kg safe working capacity

Third stage: 20,000kg safe working capacity First stage hydraulic lift: 57mm

Second stage hydraulic lift: 59mm

Third stage hydraulic lift: 61mm

Height: 150-447mm

Adaptors: 45 and 75mm

Second stage: 40,000kg safe working capacity

INDUSTRIA

DUALIT

BTJ1025TA F= BORUM LIFTS Stage 1: 25,000kg safe working capacity

D) ココン

25.000KG

INDUSTRIAL

UALITY

REACH

Includes

Height

Adaptors

AIR ACTUATED 2 STAGE TRUCK

Stage 2: 10,000kg safe working capacity Lift range: 185-497mm Hydraulic lift: Stage1: 97mm, Stage2: 95mm Adaptors: 45, 75mm

JACK 10.000/25.000KG

Handle length: 1380mm

Operating air pressure: 145-175psi Chassis: 770L x 282H x 185Wmm



FEATURES

Double sealing function - XTP industry sealing. Telescopic air actuation lift. Self-returning lowering and lifting switch. Internal & external cylinders hard chromed Long T-handle for high manoeuvrability & deep ch under vehicles

AIR ACTUATED 2 STAGE TRUCK JACK 25,000/50,000KG Excludes GST

BTJ2550TA TABORUM Stage 1: 50,000kg safe working capacity Stage 2: 25,000kg safe working capacity Lift range: 215-564mm Hydraulic lift: Stage1: 115mm, Stage2: 114mm

Adaptors: 45, 75mm Handle length: 1380mm Operating air pressure: 145-175psi Chassis: 805L x 282H x 215Wmm



FEATURES

O

 $\langle 0 \rangle$

Double sealing function - XTP industry sealing Telescopic air actuation lift. Self-returning lowering and lifting switch. Internal & external cylinders hard chromed Long T-handle for high manoeuvrability & deep

AIR ACTUATED 3 STAGE TRUCK JACK 10.000/25.000/50.000KG BTJ102550TA F_BORUM

LIFTS

50.000KG

Safe working capacity: Stage1: 10,000kg Stage2: 25,000kg, Stage3: 50,000kg Lift range: 160-472mm Hydraulic lift: Stage1: 62mm Stage2: 61mm, Stage3: 69mm Adaptors: 45, 75mm Handle length: 1380mm Operating air pressure: 145-175psi Chassis: 825L x 282H x 160Wmm

Includes

Height

daptors



23(0)

1

Inc. GST \$4068.90

Includes

Height

Adaptors

コヨヨ

INDUSTRIA OUALITY

FEATURES Double sealing function using XTP industry

sealina Telescopic air actuation lift

Self-returning lowering and lifting switch. Internal & external cylinders hard chromed Long T-handle for high manoeuvrability & deen reach under vehicles



Operating air pressure: 145-175psi Handle length: 1380mm Chassis: 875 x 295 x 150mm



SUDER

31

LOI

LIFTS

60.000KG

Includes Height Adaptors

FEATURES

Double sealing function using XTP industry sealing Telescopic air actuation lift (air-hydraulic pump) Long T-handle lets you easily position your lack er vehicle Self-returning lowering and lifting switch.

Internal and external cylinders hard chromed . High manoeuvrability & deep reach under vehicles. 2 extension adaptors / saddle plates. I arge rubber wheels



First stage: 80,000kg safe working capacity Second stage: 50,000kg safe working capacity First stage hydraulic lift: 111mm

Second stage hydraulic lift: 102mm Height: 230-563mm Adaptors: 45 and 75mm Operating air pressure: 145-175psi Handle length: 1300mm Chassis: 930 x 340 x 230mm





Includes Height daptors

FEATURES

LIFTS

80.000KG

Double sealing function using XTP industry sealing. Telescopic air actuation lift (air-hydraulic pump). Long T-handle lets you easily position your jack under vehicle. Self-returning lowering and lifting switch.

Internal and external cylinders hard chromed . High manoeuvrability & deep reach under vehicles. 2 extension adaptors / saddle plates. Large rubber wheels.

BOTTLE JACKS

For full product specifications go to www.tqbbrands.com.au



PRO

FRADEQUIP the trusted brand in equipment

TQ

BOTTLE JACKS



SHOP PRESSES

For full product specifications go to www.tqbbrands.com.au



SHOP PRESSES



SHOP PRESSES

For full product specifications go to www.tqbbrands.com.au



SHOP PRESSES

HYDRAULIC WORKSHOP **PRESS 20.000KG** BHSP20T

Safe working capacity: 20,000kg Working range: 38-918mm Bed outside: 172mm Bed inside: 152mm Bed width: 510mm Piston ram stroke: 185mm Bed height settings: 8 Ram diameter: 72mm 1626H x 755W x 560Dmm Weight: 115kg



FEATURES

Heavy-duty high-grade steel H-frame Integrated overload protection valve. Foot & Hand operated pump. 100mm pressure gauge. STEEL SAFETY MESH BARRIER Lead free paint finish is oil, grease and dirt-resistant for easy cleanup. Piston-ram is fitted with backup ring, preventing bypass oil drift. High quality hydraulic oil offers better corrosion resistance and flexibility. Pair of bed plates included.



HYDRAULIC WORKSHOP **PRESS 30.000KG** BHSP30T F= BORUM

Safe working capacity: 30,000kg Working range: 151-1031mm Bed outside: 184mm Bed inside: 164mm Bed width: 535mm Piston ram stroke: 150mm Bed height settings: 8 Ram diameter: 80mm 1830H x 1000W x 700Dmm Weight: 167kg



FEATURES

Heavy-duty high-grade steel H-frame. Integrated overload protection valve. Foot & Hand operated pump. 100mm pressure gauge STEEL SAFETY MESH BARRIER Lead free paint finish is oil, grease and dirt-resistant for easy cleanup. Piston-ram is fitted with backup ring, preventing bypass oil drift. High quality hydraulic oil offers better corrosion resistance and flexibility. Pair of bed plates included.



ŤŤ BORUM NORKSHO 510mm 20,000kg Capacit

HEIGHT

SETTINGS





BORUM

535mm

30,000kc) Capacity





Bearing Separator: 20-105mm Twin/triple head, beam and leas to build: 100. 150 and 200mm Two and three leg hydraulic pullers with separator capacity: 75-105mm Size: 355L x 195W x 150Hmm



MADE FOR THE

Excludes GS1

Inc. GST \$404.80

h





UNIVERSAL PRESS & PULL SLEEVE KIT 26 PIECE 9024T TRADEQUIP

4 Beams 3 1/2" Sleeves 20 Sleeves 11pieces (GOLD) 9 pieces (SILVER)

Inc. GST \$383.90

1626mm

For removal and Installation of bushes, bearings and seals, races, sprockets and pulleys on cars, trucks, offroad construction equipment and machinery

UNIVERSAL PRESS SUPPORT BLOCK 30.000KG 9025T TRADEQUIP

Base block: 250 x 200 x 40mm Height adaptor block: 200x70x40mm Made from Billet aluminium



PRODUCT DEMO

For use with a hydraulig shop press for workpleces with a complicated shape to allow bearings to be pressed in or out accurately.



830mm

WORKSHOP MATE

For full product specifications go to www.tqbbrands.com.au

WORKSHOP MATE WORKSTATION FEATURING A 30,000KG SHOP PRESS & SPRING COMPRESSOR WSM4

ANSFO

Safe working capacity: 30,000kg Working range: 224mm-819mm Piston ram stroke main ram: 140mm (Standard load cap fitted) Bed height settings: 85mm increments – 8 settings Bed width: 466mm Bed gap: 200mm Spring compressor: Piston ram stroke: 295mm Operating air pressure: 90-125psi Overall dimensions: 1820H x 1170W x 820Dmm Weight: 400kg

31 MADE FOR THE TRADE



Designed for Front Struts, Rear Ayles And Struis Bushes and Ball Joints Hubs & Wheel Bearings

FEATURES

AIR/HYDRAULIC OPERATED 30,000KG PRESS SPRING COMPRESSOR, FILTER CRUSHING ACCESSORY DOZENS OF UNIQUE TOOLING OPTIONS ON-BOARD TOOLING STORAGE STAND WINCH OPERATION TO LOWER AND RAISE BENCH

BENEFITS

Press almost any bearing or bush with **PRECISION** and ACCURACY in minutes, saving valuable workshop time. Smooth AIR/HYDRAULIC foot pedal operation for hands-free accuracv & control.

Hands free Spring Compression.

Even the most difficult pressing tasks become SAFE & EASY. Complete with COMPREHENSIVE HIGH QUALITY Interlocking Tool, Die and Spacer Kit to ensure SAFE WORK PRACTICES.

Complete on machine storage - minimises time spent searching for the required tools & spacers for each job! Tasks like SUSPENSION BUSHES once seen as too hard become a breeze.

R

Leo

A comprehensive variety of spring adaptors, suitable to almost any type or model of spring SAFE & EASY to compress in MINUTES!

Decrease labour time and increase productivity and efficiencies.

Increase Workplace Safety. Undertake jobs that are currently too difficult.



WORKSHOP MATE



***NOTE: ADDITIONAL TOOLING MAY BE REQUIRED FOR SOME APPLICATIONS**

ENGINE CRANE/STANDS



ENGINE CRANE I AAD I FVFI I FR 1030 TRADEQUIP

Safe working capacity: 680kg Chain length: 300mm Chain anchor positions: 3 Engine mount positions: 4 Weight: 6kg







FEATURES

Dual hook assemblies for balanced support. Adjustable to fit across most car bonnets. Supports engines or transmissions. Rubber cushioned support legs. High gloss enamel finish. Adjustment screw for load leveling. Supplied with a short length of chain.

MADE FOR THE

DUAL HOOK

M

B

PRO

INDUSTRIAL WO

TQ

MADE FOR THE 4 position

Heavy

adjustable boom

ENGINE CRANE/STANDS



Safe working capacity: 3000kg Adjustable boom: 1000kg, 1500kg, 2000kg & 3000kg Maximum lifting height @ 3000kg: 1745mm Maximum lifting height @ 1000kg: 2088mm Jib length fully retracted @ 3000kg: 1100mm Jib length fully extended @ 1000kg: 1730mm Leg height 190mm Weight: 121.5kg

FFATURES

This heavy duty **TradeQuip "Made for the Trade**" engine crane has a long stroke lifting

ram, a single action pump with a maximum load capacity of 3,000kg. Very simple to use manual hydraulic operation. The jib extends to the desired lifting capacity of 1000kg, 2000kg or 3000kg secured by a single

Icking pin. Mounted on heavy duty castor wheels for excellent manoeuvrability around the workshop.



WORKBENCHES/TROLLEYS

For full product specifications go to www.tqbbrands.com.au

WORKSHOP TROLLEY (Polymer) 6044T TRADEQUIP

Safe working capacity: 226kg Top tray: 778L x 415W x 63Hmm Tray capacity: 113kg (each) Smooth rolling rubber castors: 125D x 25Wmm Ground clearance: 140mm Weight: 14kg



FEATURES Will not dent, rust or chip. Teo deep shelves for plenty of storage. Convenient push handle. Two swivel and two fixed smooth rolling rubber castors. No painting required. Cleans easily. Virtually maintenance free.



 \bigcirc

WORKSHOP TROLLEY (Polymer)

6042T TRADEQUIP

Safe working capacity: 226kg Tray: 900L x 600W x 65Hmm Tray capacity: 113kg (each) Smooth rolling rubber castors: 125D x 25Wmm Ground clearance: 140mm Weight: 22kg



DE FOR THE

Foam

Protector

FOR UPDATED IMAGES AND MORE SPECS.

MADE FOR THE

TRADE

WORKSHOP TROLLEY (Polymer) 6043T

WORKSHOP TROLLEY (Polymer)

Safe working capacity: 226kg 3 x 100mm deep shelves 125x30mm smooth rolling

rubber swivel castors

75kg tool tray capacity 875L x 430W x 830Hmm

Excludes GST

Inc. GST \$289.30

Deep shelves give you plenty of storage for your tools and parts. Industrial grade castors. Will not dent, rust or chip. Convenient push handles. No painting required. Cleans easily.

FEATURES

Safe Working Capacity: 226kg Tray Capacity: 76kg (each) Tray: 900L x 600W x 65Hmm Smooth Rolling Rubber Castors: 125D x 25Wmm Ground Clearance: 140mm Weight: 33.5kg



FEATURES

FEATURES Super strong polymer (heavy duty structural plastic) construction. Will not dent, rust or chip. Three deep and wide stelves for plenty of storage. Convenient push handle. Two swivel and two fixed smooth rolling rubber castors. No painting required. Cleans easily. Virtually maintenance free.

MADE FOR THE

LRO



MADE FOR THE

TRADE











Safe working capacity: 226kg 8 Parts bins 241x152x127mm 24 Parts bins 165x101x76mm 125x30mm rubber swivel castors 85kg tool tray capacity 1000L x 435W x 850Hmm

FEATURES

B

Deep shelves give you plenty of storage for your tools and parts. Industrial grade castors. Will not dent, rust or chip. Convenient push handles. No painting required. Cleans easily.



MOBILE WORKSHOP TABLE 6024T



Safe working capacity: 45kg Working height: 930-1270mm Castor wheel diameter: 75mm Top dimensions: 809L x 475W x 42Hmm Main tray dimensions: 580L x 308W x 38Hmm Overall dimensions: 870L x 755W x 942Hmm Weight: 19.5kg

Q

FEATURES

The Heavy Duty steel construction. Easily handles loads up to 45kg. Solid composite rubber castors. Simple height adjustment gives you plenty of options for lowered cars or SUV's.

Excludes GST Inc. GST \$383.90



usted brav

RAD=0U

FEATURES

FEATURES

FEATURES

sliding top

WORKBENCHES/STORAGE



WORKBENCHES

For full product specifications go to www.tqbbrands.com.au

1100mm

NADE FOR THE

Excludes GS1

(dS)

STEEL WORKBENCH

1014T TRADEQUIP

Safe working capacity: 90kg Work surface: 1510x700mm

Raised edge height: 50mm

1520L x 710W x 830Hmm

Weight: 48kg

\$762.30

MOBILE WORKBENCH 1073T

Safe working capacity: 300kg Work surface: 1100 x 700mm 1100L x 700W x 830H mm Weight: 60kg

FEATURES Sturdy steel construction. High gloss enamel finish. Quality castors - two fixed and two locking swivel. Heavy-duty handle



Versatile and undeniably strong, TradeQuip workbenches are developed with sophisticated designs to endure demanding industry and heavy duty commercial applications.

3 DRAWER STEEL WORKBENCH 1012T TRADEQUIP

Safe working capacity: 300kg Heavy duty steel construction High gloss enamel paint finish Includes bottom shelf & 3 locking drawers Each drawer holds up to 50kg 20001 x 860H x 640Wmm

FEATURES

Manufactured from high quality, heavy-duty steel and features a large surface for more work space and an extended lip around the surface of the table The tough high gloss enamel paint finish is designed to provide years of protection against normal wear and tear.



2000mm

STEEL WALL MOUNTED TOOL CABINET

1011T TRADEQUIP

Thickness: 1mm Steel Sheet Lockable cupboards: 3 Adjustable shelves: 6 Peg board hooks: 6 1200L x 600H x 200W mm Weight: 19kg

360mm

FEATURES

Three compartments each have 2 adjustable shelves. Perforated and slotted back panel to allow for the hanging of tools. High gloss enamel paint. Includes mounting brackets

3 lockable

doors

1200mm

TRADEQUIP

trusted brand in a

MADE FOR THE

rade

Excludes GST Inc. GST \$239.80

TQ

MOBILE WORKBENCH 6047 TRADEQUIP

Excludes GS1

inc. GST \$581.90

USTRIAL WO

Safe working capacity: 250kg Bench top capacity: 150kg Bench top: 1200L x 640Wmm 1200L x 640W x 875H mm Shelf: 1110L x 460Wmm Shelf capacity: 100kg Weight: 56.5kg

FEATURES

ATEST APPLIED

PRO

Heavy duty rolled edge steel construction. Convenient removable drain bowl. 13mm benchtop rim to contain leaking fluids when working on engines and transmissions. Quality castors (2 swivel with brake). Lockable steel drawe with ball bearing slides. High gloss enamel paint



90kg

Capacity

Sturdy steel construction. High gloss enamel paint finish. Raised protective edge to work surface. Adjustable feet for levelling on uneven floors. Quick and easy to assemble. Easily wipe dirt and grime from surface with a soft cloth.

830mm

high raised

edge

330mn

875mm

FEATURES

50mm 1520mm







(0) 30

Gapacity





BENCH VICES FIXED OR SWIVEL WITH ANVIL

FEATURES

Code

Vice type

Jaw Width

Jaw Opening

Throat Depth

Excl. GST

Incl. GST

Jaw width: 150mm

Jaw opening: 140mm

Throat depth: 80mm

Anvil size: 80x65mm

Excludes GST

GST \$422.40

Inc

Anvil Size

7000T

Fixed

125mm

130mm

69mm

85x90mm

\$142

\$156.20

WITH PIPE JAWS 150MM

7009T

MULTI-PURPOSE BENCH VICE

7001T

Fixed

150mm

150mm

76mm

100x105mm

\$198

\$217.80

10091

7002T

Fixed

200mm

170mm

88mm

105x105mm

\$258

\$283.80

Jaws rotate

360

Quality cast iron body with steel screw and handle. Made of tough cast iron, this TradeQuip bench vice has forged steel jaws to grip & keep your workpiece steady. The large anvil is perfect for shaping and fabrication work.

FEATURES

7003T

Swivel

125mm

140mm

76mm

106x106mm

\$208

\$228.80

Reinforced

mounting lugs

7004T

Swivel

150mm

170mm

86mm

127x127mm

\$310

\$341.00

MADE FOR THE

Body of rugged quality malleable cast iron. Forge hardened steel serrated jaws. Precision machined steel screw and handle. Reinforced mounting lugs. 360° Swivel base locks in place for greater

from

Excludes GS

Inc. GST \$156.20

7005T

Swivel

200mm

220mm

110mm

147x147mm

\$422

\$464.20

360[°] Swivel base locks in place for greater versatility. Jaws rotate 360° and lock for unlimited

positioning. Holds flat stock as well as round stock with

the built-in pipe jaws. Large hardened anvil work surface.



Reinforced —mounting lugs

360° Swivel Base



360°

Swivel

Base

BENCH OFFSET VICE 150mm

7007T

VICES

25

Inc. GST \$658.90

PARTS WASHERS

For full product specifications go to www.tqbbrands.com.au



PRO

RADEQU trusted brand in equipm

ULTRASONIC CLEANERS



6 Litres 77 TRADEQUIP

Capacity: 6 Litres Ultrasonic power: 150W Ultrasonic frequency: 40KHz Heating power: 300W Heating temperature: 20-80 C 1036T

Timer range: 0-30 Minutes Tank material: 304 Grade 2mm thick Tank size: 300L x 155W x 150Hmm Size: 330L x 180W x 310Hmm MADE FOR THE

13 Litres 77 TRADEQUIP

Capacity: 13 Litres Ultrasonic power: 300W Ultrasonic frequency: 40KHz Heating power: 400W Heating temperature: 20-80 C 1037T

Timer range: 0-30 Minutes Tank material: 304 Grade 2mm thick Tank size: 330L x 300W x 150Hmm Size: 360L x 330W x 310Hmm

27



TradeQuip "Made for the Trade" Ultrasonic Parts Cleaners make it easy to clean items like carbies, calipers, nuts & bolts, most small metal parts - even jewelry. Just fill the cleaner with water, mix with the appropriate ultrasonic cleaning additive (sold separately), set the time, and walk away to get on with another job. The ultrasonic cleaner works with or without heat and provides deep cleaning using ultrasound technology and water. The adjustable temperature and timer gives you a variety of cleaning performance options.

SANDBLASTING

For full product specifications go to www.tqbbrands.com.au

TRADEQUIP the trusted brand in equipment BLASTING MEDIA ABRASIVE TradeQuip "Made for the Trade" Blasting Media Abrasives are designed for use in conjunction with our TradeQuip Mobile Blasting Kits and Blasting Cabinets. Abrasive blasting has been used for many years

to clean and remove rust, paint and corrosion. There are many types of abrasive media available, the most common being Garnet, Steel Grit and Glass Bead. These media have an aggressive cut and can rapidly remove paint and rust. However, they can also generate significant heat, potentially resulting in warped metal and etched surfaces, and they cannot be used on fibreglass. Also, chrome, plastic, rubber, trim, and other parts must be removed from a work surface or masked-off before blasting.

Alternatively, less-aggressive media, such as Walnut Shell, will do a great job at removing paint. Walnut Shell does not generate as much heat as other media, and can be used on sheet metal and fibreglass without damaging the base material. However, Walnut Shell as with any abrasive media, will require more clean-up as it leaves particles in the car body's seams and crevices that can be difficult to completely remove.

Soda blasting media has non abrasive properties which makes it a very universal blasting media which can be applied to lighter materials such as aluminium, plastic, fibreglass, wood etc. Soda Blasting does not damage glass, rubber, chrome items if they are left on a vehicle for blasting.

GARNET 25KG MEDIUM 30/60 3020T

Garnet is a gemstone with excellent naturally abrasive properties. This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive

GARNET 25KG FINE 35/100 3021T (Australian Mined)

Garnet is a gemstone with excellent naturally abrasive properties. This hard abrasive is fast-cutting, low-dust producing and low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive.

nc. GST \$72.6050 WALNUT SHELLS 20KG 6-100 MICRON 3022T

Walnut Nut shells and other organic materials, don't cause anchor patterns, making them useful for removing dirt, grease, oil, carbon, scale, burrs and paint without changing the underlying substrate Walnut shells can be an excellent choice for softer surfaces such as - they won't cause etching. Walnut shells are one of less abrasive blasting media you can use and are completely biodegrad able, making them among the most environmentally-friendly blasting media



Excludes GS

សារ

nc. GST \$63,800

Excludes GST

\$66

GARNET 25KG COARSE 20/40 3023T

Garnet is a gemstone with excellent naturally abrasive properties. abrasive is fast-cutting, low-dust producing and This hard low-consuming, excellent for removing tough coatings, paint, rust and mill scale from steel. Garnet also permits precise feathering control. A good general outdoor surface preparation abrasive

GLASS BEAD 25KG 106-300MICRON 3025T

Glass beads are used for general cleaning, peening and cosmetic finishing of sensitive metal surfaces; removing automotive paint; brightening grout and removing fungus and calcium deposits from tile; polishing cast iron, stainless steel, aluminium, propellers and turbine blades. Glass Beads are environmentally friendly and can be used in many blast applications to provide a finish with no profile. Use while working with metal, plastic or rubber materials to clean, debur and finish

xcludes GST su u Inc. GST \$108.90

Excludes GST

Inc. GST \$68.20

\$**f**i

BLASTING CABINET 220 LITRE CAPACITY 3051 76 TRADEQUIP

Cabinet capacity: 220 Litre

Working pressure: 60-110psi

FEATURES





Maximum media capacity: 20kg 4 Ceramic nozzle tips: 4, 5, 6 & 7mm With gun & low voltage internal fluorescent light Tempered glass view window: 250 x 525mm External size: 1400H x 890L x 550Wmm





BLASTING CABINET 420 LITRE CAPACITY

3036T TRADEQUIP

Cabinet capacity: 420 Litre Air regulator & gauge panel 4 Ceramic nozzles: 2x5mm, 2x6mm Maximum media capacity: 70kg Maximum air pressure: 125psi Required air supply: 15-25CFM 14 gauge steel legs & 16 gauge panels Sand blasting efficiency: 100cm²/min Optimum operating pressure 60-110psi External size: 1680H x 1180W x 940Dmm



Oversized hinged top door opening

Includes 240V dust 420 LITRE Capacity extraction system ADE FOR THE Includes blasting gun & vinyl blaster gloves FEATURES Perfect for surface preparation on any type where other forms of preparation are difficult. Ideal for removing paint, rust, scale and oxidation. Large viewing window gives the operator a wide viewing area. Oversized hinged top door opening & large inside work area allows easy maneuverability. Hinged door on hopper allows for easy abrasive changes. Fluorescent light kit and 90CFM dust collector help the operator to maintain a good visual. FEATURES Excludes GS1 Inc. GST \$3408.90 maintain a good visual. Rear-mounted dust collector. Replaceable protective window. Foot-pedal-controlled siphon blast gun. Foot operated pressure control valve



SODA BI CARB 22KG 3028T (Product of America) Clean tools, strip paint and more with Soda Bi-Carbonate. The

medium-sized crystals provide blasting power to smooth and strip paint without damaging other surfaces. Works with aluminum, steel stainless steel, fibreglass and more.

SODA/SAND BLASTING HOOD 3053 TRADEQUIP

Durable fabric & synthetic-leather construction Large 110mm x 55mm acrylic viewing plate Adjustable internal helmet for added comfort Reinforced side ventilation panels for increased airflow

FEATURES

28

Protect eves and face from "rebounding" abrasive particles by wearing Abrasive Blasting Hood. Ideal for many abrasive blasting applications



FRADEQUIP

NOT FOR RESPIRATORY





ATEST APPLIED

Pro

PORTA POWER



FLUID HANDLING



MOTORCYCLE LIFTERS



FANS & COOLING

750 Watts

> 750 Watts

YouTube

:::

Product Demonstration online

PORTABLE EVAPORATIVE COOLER 750W MADE FOR THE

240V/50Hz/750W 3 speed motor Max. air flow: 23,000 m3 per hour Water consumption: 20-35 litres per hour Effective cooling area: 200-260sqm Cooling area: 200-260m2 Water tank capacity: 200 Litres 1800H x 1600W x 780Dmm Weight: 128kg

> *Freight Rates **May Apply**



Nvlon Castors for easy portability



RADE

Remote Control Timer Panel

TRADEQUIP EVAPORATIVE COOLERS FEATURES & BENEFITS Moulded polyethylene housing will not crack and is rust & leak proof. Environmentally-friendly alternative to traditional reverse cycle A/C. Cools without chemicals or refrigerants.

Long-term dependability. Near maintenance free operation.

Cols where traditional cooling methods are impractical or cost-prohibitive. Remote control speed adjustment. Direct drive. LCD 24 hour timer panel. Easy to read water level sight tube gauge. Dual pour in refill water inlet and/or 3/4" hose fitting for automatic tap refill.

Adjustable water flow & drain valve. Nylon castors for easy portability



240V/50Hz/550W 3 speed motor Max. air flow: 18,000 m3 per hour Effective cooling area: 100-150sqm Water consumption: 12-18 litres per hour Water tank capacity: 100 Litres 1510H x 1120W x 680Dmm

Weight: 58kg



EUROPEAN DESIGN SYNCHRONOUS SWING FUNCTION

May Apply

Stock



VIEW RANGE

HERE

Weight: 63kg



Remote Control Timer Panel





Inc. GST \$1868.90

Pro




 $\overline{\mathfrak{M}}$



TATRADEQUIP

*Freight **Rates May** Apply

.



19

FRADEQUIP the trusted brand in equipment

FANS & COOLING



DRILL PRESSES

For full product specifications go to www.tqbbrands.com.au

CI

Dverall height: 1625mm


20mm





Motor: 240Volt 3/4HP Number of speeds: 16 Spindle taper: MT2 Spindle speeds: 162-3000rpm Max. drilling capacity: 16mm Max. distance spindle to table: 7810mm Max. distance spindle to base: 1219mm Chuck: 16mm Swing: 535 Size of table: 473x410mm Diameter of column: 73mm Size of base: 450x265mm Overall height: 1588mm









ALL BORUM DRILL PRESSES FEATURE

1Q

Inc. GST \$1164.90

Flexible worklight. Engineering style work table. Oversize micro-switch activated safety guard. Low-noise belt drive with cast iron balanced pulleys. Safety ON-OFF switch fitted with a dust cover and positive action push buttons plus a large (Red) self locking "Emergency Stop" hinge cover. Precision spindle bearing for long life & high accuracy. Table control via hand crank and gear rack with high load capacity. Long quill stroke, easy to adjust depth stop at the capstan handle. Thick-walled, precision-ground column for extra rigidity. Powerful long-life commercial drive motor provides high reliability. Ground set-up areas on table and base plate. Solid rotating work table with diagonal clamping slots.

> **FRADEQUI** the trusted brand in equipm

Tr- LORUM

1HP PEDESTAL DRILL PRESS 16 SPEED

Motor: 240Volt 1HP Number of speeds: 16 Spindle taper: MT2 Spindle speeds: 200-3160rpm Max. drilling capacity: 20mm Max. spindle stroke: 82mm Max. distance spindle to table: 775mm Max. distance spindle to base: 1270mm Chuck: 16mm Swing: 430mm Table diameter: 350mm Diameter of column: 80mm Size of base: 460x270mm Overall height: 1625mm



Overall



The same reliable "Heavy Duty Industrial Quality Drill Presses" since we started manufacturing them in 1984... but with the benefit of some 21st Century features

ATEST APPLIED

PRO



Excludes GS

Inc. GST \$1681

Scan code to go to our Top Tips guides and learn how to extend the life of your TQB Brands equipment

Visit our webpage www.tqbbrands.com.au for instructional & pre-start videos.

PRODUCT SUPPORT

35

PRODUCT SUPPORT

Go to our TQB Brands Website for extensive product support & regular information updates.



WORKSHOP HEATING For full product specifications go to www.tqbbrands.com.au **WORKSHOP HEATER 30kW** SEASONAL LINE 1096T TRADEQUIP

Power output: 30kW - 102,360 Btu/h Motor: 240V/50Hz 10A 230W Air delivery: 720cubic metres per hour Noise level: 76dB(A) Fuel consumption: 2.4kg/hr Tank capacity: 38 Litres Dimensions: 880 x 456 x 590mm Weight: 21kg



YouTube

Scan code for

online product

demonstration

NADE FOR THE

TRADE

VERY

Limited

Stock

0

RUNS UP TO 9 HOURS ON A SINGLE FILL

FEATURES

Burns diesel or kerosene. Built in oil burner. Electronic flame control system Safety overheat thermostat and pressure switch. Stainless steel heat exchanger. Double skinned combustion chamber for thermoacoustic insulation and safe low surface temperature. Preheated oil filter. Twist lock fuel cap with cable. Pre-purge and post-ventilation cycles

WORKSHOP HEATER 50kW 1097T TRADEQUIP

Power output: 50kW - 170,600 Btu/h Motor: 240V/50Hz 10A 340W Air delivery: 1100 cubic metres per hour Noise level: 77dB(A) Fuel consumption: 4kg per hour Tank capacity: 56 Litres Dimensions: 1090 x 490 x 585mm Weight: 27kg

RUNS UP TO 9 HOURS ON A SINGLE FILL

FEATURES

Burns diesel or kerosene. Built in oil burner. Electronic flame control system Safety overheat thermostat and pressure switch. Stainless steel heat exchanger Double skinned combustion chamber for thermoacoustic insulation and safe low surface temperature. Preheated oil filter. Twist lock fuel cap with cable.



Excludes GST

Inc. GST \$790.90

Excludes GST

0

VERY

Limited

Stock

